## Doncaster Sheffield Airport: Airspace Change Proposal

Proposal to introduce RNAV Standard Instrument Departure and Instrument Approach Procedures

PART D

Overview of the Stakeholder Consultations

19<sup>th</sup> August 2019 CPJ-5237-RPT-172-V2 <u>www.cyrrus.co.uk</u> info@cyrrus.co.uk







## Contents

CONTEN	NTS	1
1.	INTRODUCTION	2
2.	CONSULTATION REVIEW MATRIX	3

## 1. Introduction

- 1.1. Part D of the DSA ACP Submission document is covered in the two Post Consultation Reports noted as **Document 30 and Document 72**. The Post Consultation Documents provide an analysis and overview of the respective consultations.
- 1.2. In preparation and validation of the ACP Submission a Review Matrix has been included in Section 2 of this document.

## 2. Consultation Review Matrix

Status
γ?
osal upon which the Yes
t by the sponsor to the Yes
ceived by the sponsor Yes
record of consultation Yes
changes to the original Yes Itation;
n conducted on any N/A
d SID procedures as a ver minor amendments easons. These changes t ( <b>Document 62</b> ). The n in the Supplementary f Class D was amended dings.
Il necessary consultees Yes g. postal/telephone/e-
onsultees was e-mail. place to ensure that all plation.
d advertised.
ia on several occasions.
nisation was identified Iditional response time
was enhanced with two tanding of the available ussion on the matter.
lied? (Include actual 38.6%
22.4%
onsultees in the 2017

	Detailed statistical analysis of responses given in the two <b><u>Reports</u></b> of the Consultations	
1.4	What percentage of non-aviation consultees replied? (Include actual numbers)	25.6%
	86 non-aviation consultees.	
	22 responses	
	Non-aviation stakeholders were not consulted in the Supplementary Consultation	
	Detailed statistical analysis of responses given in the <b><u>Report of</u></b> the Sponsor Consultation.	
1.5	Were reasonable steps taken to ensure as much substantive feedback was obtained from consultees, e.g. through follow-up letters/phone calls?	Yes
	A review of responses received was undertaken six weeks prior to the end of the Consultation and, for those who had not responded, a reminder e-mail or letter was sent. Subsequently this was followed up a further three times, at weekly intervals, leading up to the end of the Consultation. The notification process, following the launch, was followed up an additional four times.	
	<b>Supplementary Consultation</b> – Responses were reviewed as they were received, and a hastener was sent out on Monday 3 June 2019 via email to all those that were yet to respond. There were no queries seeking clarification received.	
1.6	Have all objections to the change proposal been resolved or sufficiently mitigated?	Yes
	A comprehensive analysis of all responses and issues raised by consultees was undertaken and documented in the two <b><u>Reports</u></b> <u>of the Consultations</u> .	
	No issues were found that would justify withdrawal of the proposal.	
	No issues were found, taking due regard of the safety and procedure design requirements, that would justify a change to any of the procedures as submitted to consultation.	
	<b>Supplementary Consultation</b> – The airspace proposal has been amended in light of the second consultation from Class D to Class E (TMZ/RMZ).	
2.	Outstanding Issues	Status
		None
3.	Additional Compliance Requirements	Status
3.1	SID procedure design details are to be submitted to SARG IFP Regulation section for CAP785 approval	Yes
	Already submitted.	

COPYRIGHT © 2019 Cyrrus Projects Limited

This document and the information contained therein is the property of Cyrrus Projects Limited. It must not be reproduced in whole or part or otherwise disclosed to parties outside of Cyrrus Projects Limited without written consent.

Cyrrus Projects Limited is a company registered in England and Wales: Company Number 06828433. Registered Office: Cyrrus House, Concept Business Court, Thirsk, YO7 3NY.