


AIRSPACE CO-ORDINATION NOTICE

Safety and Airspace Regulation Group

ACN Reference:	Version:	Date:	Date of Original
AR-2025-9819	1.0	13/01/2026	07/01/2026

**NAVAID CALIBRATION
BENBECULA VOR/DME****NDS****Subject to NOTAM: No**

Date(s) of activity/Validity:	Times - ALL TIMES UTC	
14th Jan – 31st July 26	0900-1800	
Vertical Limits:	Allocated Mode 3A (SSR):	
3100ft – 10,000ft AMSL	0024	
Aircraft Details:	NDS Approved:	
Type: DA62 Callsign: VOR02 (<i>Flight Cal</i>)	Yes – Subject to the conditions in Section 2	
Event Sponsor(s):	Aircraft Operator(s):	
NATS CTC (Attn: Graham Allan) 4000 Parkway, Whiteley, Fareham, PO15 7FL 01489 615365 Graham.allan3@nats.co.uk	Flight Calibration Services (Attn: Chris Tutt) Calibration House 17-19 Cecil Pashley Way Shoreham Airport Shoreham-by-Sea West Sussex BN43 5FF 01243 538245 operations@flight-cal.com	
ATS Units/ Controlling Agencies:	Geographical Limits:	
Benbecula Prestwick ACC Swanwick Mil North	01870 604804 01294 655300 01489 612943	
Airspace Reservations:	D701A,Y – Hebrides – 01870 604449 D704 – Hebrides – 01870 604449	
Departure/Destination Aerodrome(s)	ACN Issued by:	
EGPL	AU7	

SECTION 1: CO-ORDINATION ARRANGEMENTS (GENERAL)

1. The pilot/operator is requested to telephone the ATC authorities on the cover prior to departure in order to notify or update the sortie details including area(s) of operation and planned levels (quoting the ACN Reference). A minimum of 24 hours' notice should be given unless specified in Section 2.
2. There may be other aircraft and/or activities outside Controlled/Regulated Airspace unknown to ATC.
3. The carriage and operation of a serviceable transponder (including Mode 'C') has been specified.
4. The pilot will be responsible for obtaining all necessary ATC clearances and for maintaining R/T contact with appropriate ATC authorities.
5. The pilot/operator will be responsible for obtaining prior clearances to enter any UK Danger Areas affected by the flight profile from the appropriate Range Control Authority unless this is specifically detailed in Section 2.
6. Other Unusual Aerial Activities (UAs) may be notified to the CAA Safety and Airspace Regulation Group (SARG) and may take place within the airspace encompassed by this flight. The pilot/operator is to ensure that UK Daily NOTAM Nav Warnings are consulted prior to each flight.
7. All flights within Controlled Airspace are subject to the requirements of a Flight Plan in accordance with UK AIP ENR1.10. The ACN Reference should be entered into Field 18 of the Flight Plan together with any relevant 'special handling' codes.
8. Flight prioritisation and Non-Deviating Status is in accordance with the information specified on the ACN Cover. Such status may be afforded to part or all of the flight – see Section 2.
9. Availability of an ATS from Plymouth Military, Swanwick Military (78 Sqn) or Western Radar is subject to unit capacity, priorities and limitations of radar and radio coverage. Minimum pre-flight notification as per UK AIP ENR 1.6 unless otherwise specified in Section 2 of this ACN.
10. The CAA actively encourages the use of Moving map technology in the planning and flying phases of flights to reduce the risk of airspace infringements.

PUBLICATIONS AND CHANGES

11. The activity area may lie within Controlled and Uncontrolled Airspace as well as airspace reserved for military use. Aircrew are to thoroughly familiarise themselves with UK airspace structures and procedures, in particular those laid down within the UK Aeronautical Information Publication (UK AIP), ENR 1.1 and be fully conversant with UK Flight Information Services in accordance with UK CAP 493 (MATS Pt 1).
12. The CAA VFR 1:500,000 and 1:250,000 charts and the UK AIP ENR 5 depict some, but not all aviation activity sites and amendments should also be checked. Please refer to <http://www.nats-uk.ead-it.com>
13. This ACN details specific coordination essential to the activity taking place and does not remove the need for aircraft operators to comply with national flight planning and notification procedures. Pilots and ANSPs are required to ensure that all related aviation sites are aware of this planned activity and of subsequent changes not captured within this document.
14. The Sponsor or Event Organiser should co-ordinate any changes to this ACN with SARG quoting the ACN Reference at the top of the page.

Airspace Regulation (Utilisation)
Email: AROps@caa.co.uk
Tel: 01293 983880

SECTION 2: CO-ORDINATION ARRANGEMENTS (SPECIFIC)

15. This ACN details the flight profiles required to conduct a routine calibration of the Benbecula VOR/DME - N57°28'40.57" W007°21'55.08".

16. **Notification.** The sponsor is to notify the agencies listed on page one of this ACN at least one week prior to undertaking the task. In addition, the pilot is to contact the appropriate agencies at least 4 hours prior to departure to confirm final details and availability of an ATS. The actual start time for the calibration will be subject to ATC approval.

17. **Priority.** This flight has been afforded Non-Deviating Status (NDS) whilst established on a measured run only and within Controlled Airspace (CAS), (UK AIP ENR 1.1 (4.2) & CAP 493 – Section 1, Ch4, Para 17 refers). In order to reduce the impact to other airspace users, the controlling authority may request that the pilot hold, or accept radar vectors in order to make best use of the airspace, or to reduce overall delays. At all other times, the flight is categorised as CAT Z, (CAP 493 – Section 1, Ch4, Para 10c refers,) and attracts no priority.

18. **Serials.** The aircraft is required to conduct the following serials:

Serial No	Description	Altitude/FL	Notes
A1	Position 10NM from BEN VOR/DME to commence 10NM anti-clockwise Orbit	3,500ft AMSL	2 x 360° Orbits
A2	R150 from BEN to 60D	10,000ft AMSL	
A3	Benbecula VOR/DME RWY06 IAP	3,100ft AMSL	
A4	Benbecula VOR/DME RWY24 IAP	3,100ft AMSL	

19. **Orbit.** The start point for the orbit is subject to ATC requirements and should be confirmed in the pre-note call.

20. **Air Traffic Service (ATS) Provision – Controlled Airspace (CAS).** Access to controlled airspace is subject to the prevailing traffic situation and controller workload. The pilot is responsible for obtaining a clearance to enter controlled airspace prior to penetration.

21. **ATS Provision – Outside CAS.** The calibration area is within the coverage of the following unit:

- a. Prestwick ACC On Request
- b. Swanwick Mil North On Request


22. Availability of an ATS from a unit is not guaranteed, is subject to controller availability, unit workload and possible reduced hours of operations. Amendments to the published hours of availability, as listed in the UK AIP ENR 1.6 – Para 4.1, AD2 or UK Military AIP, shall be notified via NOTAM.

SECTION 3

Area of Operation

23. Charts highlighting the area of operation are shown below. These are for illustrative purposes only and not for operational planning.

Chart 1 – Serial A1 – 10nm Orbit



Charts 2 Serial A2 – R150 BEN – 60D




Chart 3 - Serial A3 – BEN Rwy 06 VOR/DME IAP




Chart 4 - Serial A4 – BEN Rwy 24 VOR/DME IAP

