

28 August 2015
Reference: F0002423

Dear XXXX

I am writing in respect of your recent request of 31 July 2015 for the release of information held by the Civil Aviation Authority (CAA).

Your request:

I would like to receive information about the number of 'ice falls' reported to the CAA. In particular, I would like to receive:

- . *Figures showing the number of ice falls reported for each of the last five years, namely 2011, 2012, 2013, 2014 and 2015 so far.*
- . *For each ice fall incident report I would like as much information as possible, including the time, location, damage to property, injuries to persons, and a description of the ice (including its approximate mass, colour and any odour).*

Our response:

Having considered your request in line with the provisions of the Freedom of Information Act 2000 (FOIA), we are able to provide the information below.

Incident reports are provided to the CAA under the terms of the Mandatory Occurrence Reporting (MOR) scheme, as described under Article 226 of the Air Navigation Order 2009 (ANO). Each report made is reviewed and, where appropriate, further investigation carried out and action taken.

We have carried out a search of the CAA database for any report which includes any reference to falling ice, regardless of location, nationality or operation of aircraft for the period 1 January 2011 to all processed reports as at 4 August 2015 and provided an excel summary of those reports.

We have not included identifying information in these summary reports, such as the reporter, the operator of the aircraft, and exact location/address details (where the location includes a postcode, we have included the first half of the postcode only as some postcodes relate to individual properties). This information is exempt from disclosure under Section 44(1)(a) of the FOIA.

Civil Aviation Authority

Aviation House Gatwick Airport South Gatwick RH6 0YR. www.caa.co.uk

Telephone: 01293 768512. foi.requests@caa.co.uk

Section 44(1)(a) provides that information is exempt information if its disclosure is prohibited by, or under, any enactment. Under Section 23 of the Civil Aviation Act 1982, information which relates to a particular person (which includes a company or organisation) and has been supplied to the CAA pursuant to an Air Navigation Order is prohibited from disclosure (a copy of this exemption can be found below).

For more information about the Mandatory Occurrence Reporting scheme, please refer to CAP382 which can be found at: www.caa.co.uk/cap382.

If you are not satisfied with how we have dealt with your request in the first instance you should approach the CAA in writing at:-

Caroline Chalk
Head of External Information Services
Civil Aviation Authority
Aviation House
Gatwick Airport South
Gatwick
RH6 0YR

caroline.chalk@caa.co.uk

The CAA has a formal internal review process for dealing with appeals or complaints in connection with Freedom of Information requests. The key steps in this process are set in the attachment.

Should you remain dissatisfied with the outcome you have a right under Section 50 of the FOIA to appeal against the decision by contacting the Information Commissioner at:-

Information Commissioner's Office
FOI/EIR Complaints Resolution
Wycliffe House
Water Lane
Wilmslow
SK9 5AF

www.ico.gov.uk/complaints.aspx

If you wish to request further information from the CAA, please use the form on the CAA website at <http://www.caa.co.uk/application.aspx?catid=286&pagetype=65&appid=24>.

Yours sincerely



Mark Stevens
External Response Manager

CAA INTERNAL REVIEW & COMPLAINTS PROCEDURE

- The original case to which the appeal or complaint relates is identified and the case file is made available;
- The appeal or complaint is allocated to an Appeal Manager, the appeal is acknowledged and the details of the Appeal Manager are provided to the applicant;
- The Appeal Manager reviews the case to understand the nature of the appeal or complaint, reviews the actions and decisions taken in connection with the original case and takes account of any new information that may have been received. This will typically require contact with those persons involved in the original case and consultation with the CAA Legal Department;
- The Appeal Manager concludes the review and, after consultation with those involved with the case, and with the CAA Legal Department, agrees on the course of action to be taken;
- The Appeal Manager prepares the necessary response and collates any information to be provided to the applicant;
- The response and any necessary information is sent to the applicant, together with information about further rights of appeal to the Information Commissioners Office, including full contact details.

File number	UTC date	UTC time	Location Information	Location name	Headline	Narrative text		
201100543	18/01/2011	18:40	WF7	Ackworth (West Yorkshire)	Falling Object: Icefall. Lump of clear odourless ice crashed through house roof leaving hole approx 3ft in diameter- 2ft lump of ice found in loft. No reported injuries.	CAA Closure: One a/c identified as being in the vicinity.Operator contacted, but no response forthcoming.		
201100613	20/01/2011	10:40		Aberdeen (ADN)	On landing it was noticed by ATC that something had fallen from a/c onto the runway. Following a/c instructed to go-around. Object confirmed as a piece of ice.	On inspection ice accumulation found in area of potable water panel. Water seen dripping from panel. Potable water drain handle restowed and dripping ceased.		
201101463	12/02/2011	16:30	RM6	Chadwell Heath (Essex)	Falling Object: Icefall. 'Football' sized lump of brown ice impacted roof of residential property. Roof holed and tiles found on landing. No injuries reported.	CAA Closure: Eleven a/c identified as being in the vicinity, belonging to nine different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		

201102005	27/02/2011	07:00	GU22	Kingfield, Woking (Surrey)	Falling Object: Icefall. Lump of ice struck and damaged house roof. Tiles dislodged, joist damaged and 'tennis ball' size odourless ice with yellowish streaks found.	CAA Closure: Seven a/c identified in the vicinity, belonging to five operators, four of which have checked their a/c's technical records and advised that no faults were evident on the date in question. One operator confirmed that there was a leak from the water service panel. The operator stated that corrective action has been carried out and that the defect has been rectified. Whilst one a/c has been identified as having had a defect that could have resulted in an icefall, there is no conclusive evidence that the icefall definitely came from this a/c.		
201102962	23/03/2011	15:00	OX17	Wardington (Oxfordshire)	Falling Object: Icefall. 'Football sized' lump of ice with reddish streaks found in residential garden. Minor damage to fence. No reported injuries. No accurate time recorded.			
201103204	28/03/2011		NE23	Cramlington (Northumberland)	Falling object: White ice "with small flecks of silver/grey paint", approximately 40cm x 10cm x 2cm, found on industrial company's land.			

201103697	11/04/2011	10:20	BS34	Stoke Gifford (Gloucestershire)	Falling object: Icefall. Lump of clear odourless ice struck and damaged conservatory roof. Ice shattered on impact.No reported injuries.	CAA Closure: Three a/c identified as being in the vicinity, belonging to different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201103891	15/04/2011	09:15	LN8	Market Rasen (Lincolnshire)	Falling Object: Icefall. 'Football' sized lump of clear odourless ice impacted ground a short distance from reporter. No reported damage or injuries.	CAA Closure: One a/c identified in the vicinity. Operator confirmed that there was a leak below one of the lavatories. They were unable to confirm if the leak became external. The operator stated that corrective action had been carried out and confirmed that the defect has been rectified. Whilst one a/c has been identified as having had a defect that could have resulted in an icefall, there is no conclusive evidence that the icefall definitely came from this a/c.		
201104371	28/04/2011	08:00	TQ13	Devon	Falling Object: Icefall. Lump of clear odourless ice impacted roof of residential house and shattered into 'fist-sized' pieces. No reported damage or injuries and no accurate time recorded.			

201104600	20/04/2011	18:45	DE11	Church Gresley, Swadlincote (D	Falling Object: Icefall. Lump of clear odourless ice impacted roof of residential house damaging ridge tiles. 'Forearm-sized' chunks of ice found in garden. No reported injuries.	CAA Closure: Four a/c identified as being in the vicinity, belonging to different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201104958	06/05/2011	20:00	WF8	Kirk Smeaton, Pontefract (Nort	Falling Object: Icefall. 'Small football sized' lump of clear odourless ice fell into private garden and damaged bird bath approx 5ft from resident. No reported injuries or accurate time recorded.			
201105121	10/05/2011		RM1	Romford	Falling Object. Suspected icefall. Windscreen of parked car found shattered and small piece of ice evident. Car bonnet was covered in a reddish coloured liquid. No injuries or accurate time reported.	A neighbour had also noted some ice on the road.		

201105434	16/05/2011	22:00	SW6	Fulham, London (Greater London)	Falling object: Icefall. Lump of clear odourless ice crashed through house roof and bedroom ceiling damaging wardrobe beneath. Ice shattered into several 'football' sized pieces. No reported injuries.	CAA Closure: No further action taken due to elapsed time.		
201106993	22/06/2011	23:00	BS35	Thornbury (Avon)	Falling object: Icefall. Lump of clear odourless ice crashed through garage roof. Large 1sq m hole in roof with 2-3ice chunks beneath on garage floor. No accurate time and no reported injuries.			
201108943	30/07/2011	16:15	B16	Edgbaston	Car struck by a large icefall while manoeuvring in a car park. Car roof damaged.	CAA Closure: Two a/c identified as being in the vicinity, belonging to different operators, both of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		

201109887	20/08/2011	16:20	GU24	Bisley (Surrey)	Falling Object: Icefall. Lump of clear/odourless ice fell onto flat roof of residential property. Roof 'bowed'/expanded. Impact heard and numerous large pieces of ice retrieved. No reported injuries.	CAA Closure: Five a/c identified as being in the vicinity, belonging to different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201109991	16/03/2011	07:40	RM11	Hornchurch (Essex)	Falling Object: Icefall. Lump of clear/odourless ice (estimated size 2-3ft in diameter) struck and damaged garden pagoda. Garden found littered with ice fragments. No reported injuries.	CAA Closure: Five a/c identified as being in the vicinity, belonging to two operators, both of which have checked their records and confirmed that no faults were apparent that could have contributed to this incident.		
201111217	19/09/2011	11:18	CM15	Brentwood	Three pieces of ice fell onto a golf course covering an area approximately 4 square metres. No damage.	CAA Closure: Eight a/c identified as being in the vicinity, belonging to six different operators, five of which have checked their records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operator has been written to, with no response forthcoming.		

201112255	06/10/2011	16:45		Kew Gardens (Surrey)	Icefall witnessed by five people in Kew gardens. No injuries or damage caused.	Numerous pieces were seen to fall. No accurate time of event recorded.		
201114745	17/11/2011	16:35	Plumstead Road	Norwich	Icefall. Piece of ice, approximately size 18" x 12" x 5", fell into road.			
201114899	05/12/2011	11:47	SE14	Lewisham	Icefall: Broken roof tiles and damaged felt lining. Numerous pieces of ice. Sound of impact witnessed by house occupants. Damage subsequently found.	CAA Closure: Eleven a/c identified as being in the vicinity, belonging to five different operators, four of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operator has been written to, with no response forthcoming.		

201115383	12/12/2011	14:45	LE18	Leicester	Icefall: Reporter heard impact and upon investigation found numerous pieces of ice shattered on the ground.	No damage reported. <input type="checkbox"/> CAA Closure: One a/c identified as being in the vicinity. The operator has checked the a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201200011	02/01/2012	15:55	SW14	Mortlake	Falling Object: Icefall. Lump of 'football' sized, yellowstained ice, struck and damaged a garden fence.	CAA Closure: Eight a/c identified as being in the vicinity, belonging to seven different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201201195	05/02/2012	22:30	SY12	Shropshire	Icefall: Damage to roof of house.	Reporter heard a crash and found lumps of ice outside. Four roof tiles smashed and hole in roof of house.		

201201865	17/02/2012	22:55	SK14	Godley (Cheshire)	Icefall: Impact heard by numerous residents in the street. Serious damage to parked and unoccupied car subsequently discovered.	CAA Closure: Two a/c identified as being in the vicinity, belonging to different operators, both of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201201972	24/02/2012	20:10	HA1	Harrow	Icefall. Private car damaged.	CAA Closure: No further CAA action.		
201203059	25/03/2012	10:00	WD19	Watford	Icefall. Large block of ice fell into a private garden.	CAA Closure: No further CAA action.		

201204191	16/04/2012	06:30	NE25	Tyne & Wear, Newcastle	Icefall: On residential property.	A large section of ice fell onto the roof of property and shattered on the driveway. □ CAA Closure: One a/c identified as being in the vicinity. The operator has checked the a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201204462	16/04/2012	08:45	SW14	East Sheen, London	Icefall - Ice found in garden approximately football sized. Damage to roof of house.	CAA Closure: Ten a/c identified as being in the vicinity, belonging to seven different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201205296	18/05/2012	08:25	BR6	Orpington (Kent)	Icefall - smashed onto road.	One piece measuring approximately 1ft after crashing and other pebble sized pieces scattered around. Witnessed by several people in cars.		

201206000	01/06/2012	08:00	TN18	Hawkhurst	Ice size of football landed in driveway shattering a window.	CAA Closure: Six a/c identified as being in the vicinity, belonging to four different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201206200	05/06/2012	07:15	DT1	Dorchester (Dorset)	Icefall - Garage roof damaged. Hole measuring roughly 18in.	CAA Closure: Two a/c identified as being in the vicinity, belonging to different operators, both of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201206237	07/06/2012	15:40	LL11	Wrexham (Clwyd)	Icefall: Lump of football sized ice fell on roof of house and broke several roof tiles and an exterior extractor fitting.	CAA Closure: Three a/c identified as being in the vicinity, belonging to different operators, one of which has checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operators have been written to, with no responses forthcoming.		

201208599	11/07/2012	14:00	CH1	Chester	Ice fall: Lump of ice approximately 3in diameter fell into front garden.			
201208897	29/07/2012		BS16	Bristol	Icefall: Discovered in private residence garden.	CAA Closure: Four a/c identified as being in the vicinity, belonging to three different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201209210	02/07/2012		KT4	Worcester Park (Surrey)	Roof and ceiling damaged by falling ice.			

201209907	21/08/2012	11:45	DE6	Hulland Ward (Derbyshire)	Icefall: A house was struck by single large piece of ice, causing damage to a roof ridge tile. The ice broke on impact into approximately 9-10 tennis ball sized pieces.	CAA Closure: One a/c identified in the vicinity. Operator confirmed that there was a fault with the drain fill valve that was discovered on 24 Aug 2012 following reports of a water leak around the service panel, after an initial inspection on 23 Aug 2012 had found no faults. The operator stated that corrective action has been carried out and confirmed that the defect has been rectified. Whilst one a/c has been identified as having had a defect that could have resulted in an icefall, there is no conclusive evidence that the icefall definitely came from this a/c as the fault was discovered and rectified three days after the reported event (and no faults were evident when the a/c was checked two days after the reported event).		
201210966	06/09/2012	20:45	HD1	Huddersfield	Icefall: Loud bang heard on the roof of house and fragments of ice found. No damage caused.			
201211213	14/09/2012	10:42	RG40	Berkshire, RG40, 1QZ	Icefall on private garden. No damage or injuries caused.	The ice impacted a lawn and shattered into numerous pieces.		

201214990	12/12/2012	11:15	HP3	Bovingdon, Hemel Hempstead	Ice fall: Ice block went through roof tiles and felting of house	CAA Closure: Six a/c identified as being in the vicinity, belonging to two different operators, both of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201300998	26/01/2013	10:04	E15	Stratford	Lump of ice crashed through the roof and into the first floor bathroom.	CAA Closure: Eight a/c identified as being in the vicinity, belonging to different operators, six of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operators have been written to, with no responses forthcoming.		
201301155	01/02/2013	09:46	PO8	Waterlooville	Icefall: Piece of ice approximately the size of a bowling ball crashed through the roof of the conservatory.	CAA Closure: The recorded radar data was reviewed and was unable to identify any a/c which would have been in the air for sufficient time to develop ice on the exterior of the a/c. The data was viewed between the reported times, 09:41 to 09:51 UTC, covering an area of 10nm centred on the reporter's location.		

201301215	23/01/2013	10:45	B656	Hitching Hill	Icefall: Piece of ice hit car whilst being driven, approx size 12inch x 6inch x 6inch. No damage to car or occupants.			
201301749	09/02/2013	08:30	SW14	East Sheen	Icefall: Large block of ice fell onto house, damaged the tiles and made a hole in the roof.	CAA Closure: Twelve a/c identified as being in the vicinity, belonging to nine different operators, seven of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operators have been written to, with no responses forthcoming.		
201301752	15/02/2013	14:25	SW6	Eel Brook Common	Icefall: Large block of clear odourless ice landed on school playing field. Children present on field. One received minor injuries.	CAA Closure: Fifteen a/c identified as being in the vicinity, belonging to eight different operators, seven of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operator has been written to, with no response forthcoming.		

201302010	24/02/2013	16:15	EH54	Livingston	Icefall: Damage to roof due to a large piece of falling ice.	CAA Closure: Five a/c identified as being in the vicinity, belonging to different operators, four of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operator has been written to, with no response forthcoming.		
201302031	25/02/2013	08:40	BS16	Downend, Bristol	Icefall: Ice fell through trees and impacted the ground causing a 4-6in indentation.	CAA Closure: Three aircraft identified as being in the vicinity, belonging to different operators, all of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201302060	25/02/2013	01:02	DE56	Belper, Derbyshire	Icefall: Large block of ice fell onto roof damaging roof tiles.	Described as the same size as a child's football. □ CAA Closure: One a/c identified in the vicinity. Operator confirmed that there was a leak from the toilet waste system. The operator stated that corrective action had been carried out and confirmed that the defect has been rectified. Whilst one a/c has been identified as having had a defect that could have resulted in an icefall, there is no conclusive evidence that the icefall definitely came from this a/c.		

201302100	23/02/2013		LS10	Leeds	Icefall: Substantial damage found to commercial garage roof when opening up after the weekend. A small amount of clear ice remained on the ground.			
201302270	02/03/2013	07:00	WV6	Pattingham, Wolverhampton, Staffs	Icefall: Large hole in roof of caravan. Damage to bathroom area and large hole in floor. No injuries caused.	Large piece of ice measuring 18in in diameter fell through caravan roof. Yellow in colour. □ CAA Closure: One a/c identified as being in the vicinity. The operator has checked the a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201302662	13/03/2013	17:15	RH4	Westcott, Dorking, Surrey	Icefall: Ice fell through perspex roof of conservatory. Brown (rust) and white in colour with a mild odour of cheese. No injuries.	CAA Closure: Ten a/c identified as being in the vicinity, belonging to eight different operators, six of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operators have been written to, with no responses forthcoming.		

201303261	28/03/2013	08:55	S71	Barnsley	Icefall: Dented the top of car door. Shattered into many pieces. Light brown colour (smelt of toilet waste).	CAA Closure: Three a/c identified as being in the vicinity, belonging to different operators, all of which have checked their a/c's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201304231	22/04/2013		CM13	Stonyhills Farm, Great Warley, Brentwood	Icefall: Large piece of ice weighing approx 10kg fell into a field leaving a hole approx 175mm deep. White in colour with no smell. No damage reported.			
201304971	02/05/2013	22:00	IG10	Albion Park, Loughton	Icefall: Large piece of ice approx 1-2ft in diameter fell into garden damaging an ornamental tree.	CAA Closure: Three aircraft identified as being in the vicinity, belonging to different operators, two of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident. The remaining operator has been written to, with no response forthcoming.		

201305016	07/05/2013	10:45	KT13	Weybridge	Icefall: Clear block of ice fell on parked car damaging windscreen and surrounding panels on another car.	Piece of ice the size of a football fell onto a car parked in a car park. □ CAA Closure: Ten aircraft identified as being in the vicinity, belonging to five different operators, all of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201307232	10/04/2013	14:30	KA10	Troon	Icefall: Ice fall onto porch roof causing a hole which resulted in leak. Dimensions of ice 5in x 4in round, orange at one end and white at the other.			
201307948	04/07/2013			En route	Ice shedding with airframe impact and damage.	Towards top of climb, a series of jolts/thumps were heard and felt through the airframe by both pilots and were also reported by cabin crew and passengers. All indications were normal. Cabin problems with loss of potable water and previous evidence of a water leak during turnaround led the flight crew to suspect ice shedding from drain and impacting the aircraft. Maintrol were consulted for advice and guidance and the flight was continued with caution. Engineers inspection on arrival found damage to the airframe. □ CAA Closure: The aircraft arrived at destination with no defects. However, the Maintrol diary referred to a water leak from below L2 toilet drain hole shortly after arrival. The toilets were checked and drain valves closed and it was noted that there was leaking for approx 20mins with no tank level decrease and suspected over full. The aircraft departed and approx 40mins into the return flight an HF patch message from the crew recorded that 'half water contents lost'. A		

201308986	01/07/2013	18:00	AL10	Hatfield	Icefall: Large chunk of ice landed in playing field (approx 20-30cm).	CAA Closure: Three aircraft identified as being in the vicinity, belonging to different operators, all of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201309384	28/07/2013	19:02		LSGG (GVA): Geneve/Cointrin	PAN declared and aircraft diverted due to P1 and P2 airspeed disagree.	<p>P2 noted erratic airspeed fluctuations on his PFD. On occasions the IAS display went blank. As soon as control was handed over both AP and ATHR failed and could not be re-engaged. The aircraft was in alternate law. QRH unreliable airspeed was actioned. P2 ASI appeared to return to normal however the P2 air data was switched to ADR 3 and ADR 2 switched off in accordance with the checklist as a precaution. Due to weather at destination a decision was made to divert under a PAN. During the attempted autopilot re-engagement it was noted that AP1 would not re-engage at all and AP2 would only latch on for half a second before disconnecting. During the approach large chunks of ice were observed detaching from the radome. No ice observed on the probe. □</p> <p>CAA Closure: □</p> <p>Temporary adverse effects of icing conditions on pitot probes is the most likely cause for this unreliable airspeed event. The Pitot icing issue is on-going with the Airworthiness authorities. It is expected that changes to European regulations concerning icing criteria will be finalised in 2014. A new Pitot design conforming to the new standard is expected to become for the manufacturer in 2016. SU 24 084</p>		
201310793	22/08/2013	08:30	BN25	Seaford	Icefall: Suspected icefall or falling object caused impact damage to roof of house.	<p>A loud bang on the roof was heard and on inspection, a 20cm hole was found where an object had gone through the tiles and through the roofing felt inside. □</p> <p>CAA Closure: □</p> <p>Due to an oversight, no investigation was initiated. Closed due to elapsed time.</p>		

201311782	07/09/2013	09:55	Goldsworth Park, Woking	Woking	Icefall: White block of ice fell to the floor in front of pedestrian and child. No damage caused.	Approx size 30x30x30cm.		
201312826	07/10/2013	10:30	CP83	Caerphilly	Icefall: A lump of brown, coffee scented ice, impacted and caused damage to step of patio door.			
201312993	27/09/2013	09:30	W13	London	Icefall: Lump of ice found in garden measuring 15in x 15in. No damage or injuries caused.			

201313294	17/10/2013	07:55	KT24	Effingham	Icefall: Large block of ice impacted house and caused damage to roof and tiles.	CAA Closure: <input type="checkbox"/> Investigations identified seven aircraft which were in an area of up to 5Nm radius centred on the reported location and within the reported times. Four aircraft discounted due to being departures. No additional information available.		
201314599	12/11/2013	08:15	NW2	Golders Green	Icefall Report: Ice fell through roof of house and through the ceiling of child's bedroom. Damage to roof and bedroom ceiling. No injuries.	CAA Closure: Five aircraft identified as being in the vicinity, belonging to different operators, all of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident.		
201315376	25/11/2013	09:09	SW15	Richmond	Icefall: A large piece of ice approx 30x40x30cm fell from the sky and smashed onto the road. No damage or injuries were caused.			

201315615	19/11/2013	10:15	Fox Holes Roundabout to Rushgreen Roundabout	A414 Hertford	Icefall: Car windscreen damaged by falling ice.	<p>Contained some brown debris. <input type="checkbox"/></p> <p>CAA Closure: <input type="checkbox"/></p> <p>Two aircraft identified as being in the vicinity, belonging to different operators, both of which have checked their aircraft's technical records and confirmed that no faults were apparent that could have contributed to this incident.</p>		
201400458	03/01/2014	14:30	RM12	Hornchurch	Icefall: Large football sized piece of ice impacted and damaged roof and interior ceiling.			
201400987	20/01/2014	11:09	London SW11	Rush Hill Road, Golders Green	Icefall Report: Large bang heard on roof and found roof light damaged with small pieces of ice shattered everywhere.			

201402377	26/02/2014	12:00	TW3	Hounslow	Icefall: A large block of ice approximately the size of two footballs fell onto a school field. Students were nearby, no injuries reported.			
201402486	01/03/2014	08:50	TW3	Hounslow, Middlesex	Icefall: Ice fell onto house roof breaking some roof tiles. White in colour.			
201403549	23/03/2014	19:25	RH6	Smallfield	Icefall: Large bang heard. Investigation found two large pieces of ice.	No damage caused.		

201407148	20/05/2014	09:20	RH5	Dorking	Icefall: A large piece of ice (26in x 14in x 3in) was seen to impact the ground. No damage or injuries were caused.	Walking across my lawn when experienced a very loud bang. On looking around saw a large scattering of Ice, 15 yards from where standing.		
201408424	19/06/2014	09:30	SW13	Barnes	Icefall: A large thud was heard and 15-20 pieces of white ice were seen scattered on the ground. No damage or injuries occurred as a result of the icefall.			
201409762	19/07/2014	21:30	SA11	Cimla, Neath	Icefall: Large dent found in grass with melting ice approx 18x12 inches. Damage to garden lawn.	Reporter heard loud thud outside house but initial investigation found nothing. On further investigation 00:10am, large dent found in grass with melting ice, reddish/pinkish in colour. No injuries.		

201409987	23/07/2014	15:37	CV47	Bishops Itchington	Icefall: Car badly damaged by large chunks of falling ice which impacted and dented the side frame as well as cracking the wing mirror and windscreen.		
201411841	20/08/2014	08:16	E2	London	Icefall: Car damaged by falling ice.		
201415617	06/11/2014	07:24	KT12	Claygate, Surrey	Icefall: Large piece of ice fell from sky and landed in a field shattering on impact.	One larger piece contained yellow and brown discolouration. No smell noticed.	

201417749	19/12/2014	19:10		EGKK (LGW): London/Gatwick	Icefall: ice blocks found on taxiway centreline.	Whilst driving along Taxiway observed approx ten items on the centreline abeam stand. When I got close enough the items were identified as blocks of ice one measuring approx 19" by 14" the remainder were approx 6" in size. I contacted tower controller to advise that I had closed Taxiway until the ice was cleared and to hold the aircraft currently coming down taxiway towards the ice and hold off the three other flights following. I called out the support team who cleared the ice and we reopened the taxiway. The incident had the potential for the aircraft to hit the ice block on the centreline.		
201501249	01/02/2015	23:45	RW26L	EGKK (LGW): London/Gatwick	Small pieces of ice found in 26L touchdown zone after a/c had landed with frozen undercarriage. Ice found on stand here a/c had parked.	Small pieces of mainly round ice lumps were found in the runway touchdown zone and taxiway entries. Overall there were approx. 25 pieces approx. 50mm x 20mm. These were found during the multi vehicle inspection of the runway. A call was received by the Airfield Ops desk from ramp staff to advise that the aircraft had arrived on Stand with frozen undercarriage ice present on both main undercarriage wheels. Quite large deposits of chunks of ice were found on stand.		
201501283	26/01/2015	07:20		Kenilworth	Icefall: Car windscreen struck by an object thought to be ice.	Whilst travelling along the Rd, the reporters' daughters' car was struck by what she thought was a large piece of ice.		

201503049	10/03/2015	08:50		En route	Loss of comms due to damaged radio antenna. Damage caused by ice from potable water leak.	Working London 118.825 being vectored for RWY 27, we were put on a heading and handed over to Radar. We called without response, so returned to 118.825 who requested that we continue on the assigned heading to establish localiser. We were reluctant to continue into busy airspace with a comms problem, so requested to return to hold while we investigated. This was approved and SEL/Nav were reselected and the hold re entered to be flown on the FMS. We were asked us to try again on 128.025. Again this was unsuccessful, but a message was relayed via another aircraft and we confirmed our intentions to hold for a short period to diagnose the problem and review our options. We actioned the MCL for a comms box failure, which didn't work, but we established that we could get contact using comms box 2. We asked to remain in the hold while we reviewed the situation and briefed for a comms failure on approach. As part of the review, we managed to contact Handling Agents on box 1 (although the signal was very weak)		
201508582	01/05/2015	09:10	GU22	Woking, Surrey	Icefall: Ice fell onto roof of church and then onto the car park. Damage to lead roof of church.			
201508721	23/05/2015	11:00	RM11	Hornchurch, Essex	Icefall: Balloon shaped observed falling from the sky. Identified as blue ice. No damage.			